Acknowledgements

These guidelines were developed with the assistance of an advisory group consisting of the following participants. Participants who assisted with the 2018 revision are marked with an asterisk (*). Participants who assisted with the 2022 revision are marked with a double asterisk (**).

The State Education Department and the Department of Health would also like to give a special thanks to the NYS BIANYS Concussion Initiative Advisory

**Amy Jagareski, MPH, CPST
Senior Health Program Coordinator
Bureau of Occupational Health and Injury Prevention
New York State Department of Health

**Ann Lanoue, RN, BSN, MBA
Associate in School Nursing
Student Support Services
New York State Education Department

** , *Karen Hollowood, RN, BSN, MSEd
Supervisor, Student Centered Educational Supports Uni
Student Support Services
New York State Education Department

June Janssen, RN
Southern Cayuga Central School District
Past Treasurer NYSASN
By-Laws/OG Chair NYSASN

Robert J. Jones, ATC, M. Ed
Certified Athletic Trainer/
Health Educator / Physical Education Teacher
Queensbury Union Free School District

Barry D. Jordan, MD, MPH
Director, Brain Injury Program
Burke Rehabilitation Hospital

**, *Marilyn A. Kacica, MD, M.P.H., F.A.A. P
Medical Director
Division of Family Health
New York State Department of Health

Kathryn A. Koshansky, MS, ATC
Chair, Athletic Training Program
Associate Professor
Stony Brook University
Member NYS Committee for Athletic Training
NYSED - Office of Professions

*Martha Morrissey, RN, BS, MA
Associate in School Nursing, retired
Student Support Services
New York State Education Department

Todd Nelson
Assistant Director
New York State Public High School Athletic Association

Paul Novak, MS, OTR
Director, Neuro-Rehabilitation Institute
Sunnyview Rehabilitation Hospital

Laurene O'Brien, MS, RN
Interim Executive Secretary,retired
New York State Board for Nursing
Office of Professions
New York State Education Department

Walter Ramos, RN, J.D.
Executive Secretary, retired
NYS Board for Medicine,
Veterinary Medicine, Dietetics and Nutrition, Athletic Training and Medical Physics
Office of Professions
New York State Education Department

Mary Schworm, RN, M.Ed.
School Nurse
Monroe High School
Rochester City School District

Linda Seaman, MSEd
Associate in Education Improvement Services, retired
Student Support Services
New York State Education Department

Kenneth Shapiro, MD
Medical Director, Brain Injury Program
Sunnyview Rehabilitation Hospital

** Melissa Trau, RN, BS, MS
Director
New York State Center for School Health

Nina Van Erk
Executive Director, retired
New York State Public High School Athletic Association

Gail Wold, RN, BSN
Coordinator, retired
New York Statewide School Health Services Center

Rick Zappala, ATC
Certified Athletic Trainer
Paul D Schreiber High School

Contents

Foreword

The purpose of this document is to provide school personnel, parents/guardians, students, and private health providers with information on concussion management in school settings. It explains the purpose of a concussion management program in schools and provides guidance for developing an effective program including planning, implementation, and follow-up protocols. This will assist in identifying a student with a potential concussion and ensure that a student who has been diagnosed with a concussion receives the appropriate care and attention at school to aid in their recovery.

Every attempt has been made to ensure that the information and resources contained in this document reflect best practice in the fields of medicine and nursing practice. Local educational agencies should review these guidelines with their counsel as necessary to incorporate the guidance with school policy.

Concussion Overview

Concussion is a type of traumatic brain injury (TBI) and is sometimes referred to as a mild TBI. Concussions are injuries to the brain that occur as the result of a fall, motor vehicle accident, or any other activity that results in an impact to the head or body.

In New York State in 2019:

- 109 children 19 years of age or younger died due to a traumatic brain injury.
- 11,976 children 19 years of age or younger visited the emergency room for traumatic brain injury and 1,501 were hospitalized.

A concussion is a reaction by the brain to a force transmitted to the head from an impact or blow occurring anywhere on the body. A concussion results from the brain moving back and forth or twisting rapidly inside the skull.

The symptoms of a concussion result from a temporary change in the brain's function causing a short-term

students who sustained, or are suspected to have sustained, a concussion during athletic activities (interscholastic sports) are to be immediately removed from such activities. Such students may not return to athletic activities (interscholastic sports) until they have been symptom-free for a minimum of 24 hours and have been evaluated by and receive written and signed authorization to return to activities from a duly licensed physician. For students attending public schools, such written clearance should be sent to the school for review by the district's director of school health services (a.k.a., medical director). All clearance notes and healthcare provider orders are to be filed in the student's cumulative health record as required in the law and Commissioner's regulation §136.5(d)(2)(i).

Schools shall require the immediate removal from athletic activities any student who has sustained, or who is believed to have sustained, a mild traumatic brain injury. If there is any doubt as to whether a student has sustained a concussion, it shall be presumed that the student has been so injured until proven otherwise. No such student shall resume athletic activity until the student has been symptom free for not less than twenty-four hours and has been evaluated by and received written and signed authorization from a licensed physician; and for extra class athletic activities in public schools, has received clearance from the medical director to participate in such activity [Commissioner's regulation 136.5(d)(2)].

Additionally, the revised regulations define athletic activities as participation in sessions for

Districts may also employ certified athletic trainers at the secondary school level. Athletic trainers employed by secondary schools must be certified athletic trainers according to Commissioner's regulation §135.4(c)(7)(i)(d)(1) and must be supervised by a physician in accordance with Education Law Article 162, §8351. (See NYSED Office of Professions, Athletic Trainers.)

Identification

Any student who is observed to, or is suspected of, suffering a significant blow to the head or body, has fallen from any height, or collides hard with another person or object, may have sustained a concussion. Such injuries can occur in athletic activities (interscholastic sports), recess, PE, and other classes. Symptoms of a concussion may appear immediately, may become evident in a few hours, or evolve and worsen over a few days. Concussions may also occur at places other than school. School staff who observe a student displaying signs and/or symptoms of a concussion, or learn of a head injury from the student, should have the student accompanied to the school health office. If there is no school nurse, or they

- Loss of consciousness
- Balance difficulty or dizziness, or clumsy movements
- Double or blurry vision
- Sensitivity to light and/or sound
- Nausea, vomiting, and/or loss of appetite
- Irritability, sadness, or other changes in personality
- Feeling sluggish, foggy, groggy, or lightheaded
- Concentration or focusing problems
- Slowed reaction times, drowsiness
- Fatigue and/or sleep issues (e.g., sleeping more or less than usual)

Students who develop any of the following signs, or if the above listed symptoms worsen, must be seen and evaluated immediately at the nearest hospital emergency room:

- Headaches that worsen
- Seizures
- Looks drowsy and/or cannot be awakened
- Repeated vomiting
- Slurred speech
- Inability to recognize people or places
- Weakness or numbing in arms or legs, facial drooping
- Unsteady gait
- Dilated or pinpoint pupils, or change in pupil size of one eye
- Significant irritability
- Any loss of consciousness
- Suspicion of skull fracture: blood draining from ear, or clear fluid from nose

Sideline Assessment and Neurocognitive Testing

Schools may, in collaboration with their medical director in public schools, choose to allow school staff who are appropriately licensed or certified healthcare professionals who are credentialed to use validated neurocognitive computerized testing concussion assessment tools such as Impact (Immediate Post Concussion Assessment & Cognitive Testing), CogSport (also known as Axon), Headminders, and ANAM (Automated Neuropsychological Assessment Metrics) to review and obtain baseline and post-co2 (i)6 (v)4 (e)10 (T)5 1ve Togihoolsced (hool)6-rtsspicP5 0 Td( )T

students with a suspected concussion are to be removed from athletic and physical activities, should be symptom free for not less than 24 hours, and cleared to begin a gradual return to activities by a physician if injured during athletic activities, or a healthcare provider for all other injury locations.

In public schools, return to athletics will require the approval of the district medical director; in nonpublic schools, the concussed student's treating physician will provide return to athletic

Table 1 Diagnosis and Clearance of Concussions

Where injury occurred	Who can diagnose	Who can clear to return to school activities, inclusive of PE	Who has final clearance for student to return to athletic activities	Additional Information
School Athletic Activities (interscholastic sports)	Physician Per Concussion Management and Awareness Act	Physician Per Concussion Management and Awareness Act	District Medical Director * For nonpublic school, a licensed physician Per Commissioner's Regulation part 136.5(d)(2)	Must be symptom free for 24 hours prior to return to Athletic Activities (interscholastic sports) Per Concussion Management and Awareness Act
School during non-Athletic activities	Physician Nurse Practitioner Physician Assistant Per Title VIII of Education Law	Physician Nurse Practitioner Physician Assistant or Designee (e.g., Neuropsychologist) Per Title VIII of Education Law	District Medical Director * For nonpublic school, a physician, nurse practitioner or physician assistant Per Commissioner's Regulation part 136.5(d)(2)	School must follow private health care provider orders Per Concussion Management and Awareness Act
Outside of school	Physician Nurse Practitioner Physician Assistant Per Title VIII of Education Law	Physician Nurse Practitioner Physician Assistant or Designee (e.g., Neuropsychologist) Per Title VIII of Education Law	District Medical Director * For nonpublic school, a physician, nurse practitioner or physician assistant Per Commissioner's Regulation part 136.5(d)(2)	School must follow private health care provider orders Per Concussion Management and Awareness Act

* The district medical director is the final person to clear a public school student to return to athletic activities (interscholastic sports). It is at the discretion of the district medical director to accept a private health care provider clearance or to require the student to complete a gradual return to play protocol prior to permitting the student to return to participation in interscholastic athletics. For a student attending a nonpublic school the student's treating physician determines limitations on school attendance and activities.

Injury Characteristics

The student, and/or the parent/guardian, and/or school staff member who observed the injury

should be asked the following as part of an initial evaluation:

- Description of the injury;
- Cause of the injury;
- Student's memory before and after the injury;
- If any loss of consciousness occurred; and
- Physical pains and/or soreness directly after injury.

Symptoms

Students should be assessed for symptoms of a concussion including, but not limited to, those listed previously.

Risk Factors to Recovery

According to the Consensus Statement on Concussion in Sport - the 5^{the} International Conference, October 2016 [2], students with these conditions are at a higher risk for prolonged recovery from a concussion:

- History of concussion, especially if currently recovering from an earlier

Post- Concussion Management

Students who have been diagnosed with a concussion require both physical and cognitive rest as determined by the treating healthcare provider. How long that rest period is, and what activities may or may not be permitted will be different for each student. Delay in instituting healthcare provider orders for such rest may prolong recovery from a concussion. Private healthcare provider's orders for avoidance of cognitive and physical activity and graduated return to activity should be followed and monitored both at home and at school. Public school districts should consult their medical director if further discussion and/or clarification is needed regarding a private healthcare provider's order, or in the absence of private healthcare provider orders. Nonpublic schools should consult thTJ0 T10 (ul) (l4c 0 Td (e l4c 0 T7 ( )107 (di)16 (ng)10 (aus)4 (en10

- Loud music
- Bright lights

Parents/guardians, teachers, and other school staff should watch for signs of concussion symptoms reappearing such as fatigue, irritability, headaches, blurred vision, or dizziness, which may reappear with any type of mental activity or stimulation. If any of these signs and symptoms occur, the student should cease the activity. Return of symptoms should guide whether the student should participate in an activity. See Return to Academic Activities section beginning on page 15 for further information on concussion symptoms and how they may manifest as behaviors in school.

> The basis for recommending physical and cognitive rest is that rest may ease discomfort during the acute recovery period by mitigating post-concussion symptoms and/or that rest may promote recovery by minimizing brain energy demands following concussion.
>
> There is currently insufficient evidence that prescribing complete rest achieves these objectives. After a brief period of rest during the acute phase (24–48 hours) after injury, patients can be encouraged to become gradually and progressively more active while staying below their cognitive and physical symptom-exacerbation thresholds (i.e., activity level should not bring on or worsen their symptoms).[3]

Return to Academic Activities

After an initial period of relative rest lasting approximately 24-48 hours, a healthcare provider may clear a student to begin a gradual return to academic or cognitive activities. This may or may not coincide with the student's return to physical activities. The healthcare provider should give clear orders on the gradual return to activity protocol that the school must follow. If a school has concerns

Scales/Tools - College of Medicine, University of Florida (ufl.edu). The VAS used should be approved for use by the student's healthcare provider, by a school nurse (RN), or the district's medical director. Therefore, schools will need to follow provider orders on return to activities. School staff should monitor students daily following each progressive level of academic activity, for any return of signs and symptoms of concussion. A gradual progression should be followed based on private healthcare provider's or other specialist's orders and recommendations.

Students with concussions may become fatigued easily and may need time to rest in school. Initially a student with a concussion may only be able to attend school for a few hours per day and/or need rest periods during the day. Students may exhibit increased difficulties with focusing, memory, learning additional information, and/or an increase in irritability or impulsivity. School personnel, particularly teachers including home tutors, should have clear directions on the student's gradual return to academic activities. They should be instructed that any activity may cause the student to become easily fatigued and the student should be allowed to rest, as needed. They should also be reminded that even lights and noise (e.g., walking between classes in a crowded hallway or cafeteria) may cause a recurrence of concussion symptoms.

Classroom teachers should delay testing a child diagnosed with a concussion until cleared by their provider for return to full academic activities. Generally, school principals are permitted to authorize certain testing accommodations for students who incur an injury within 30 days prior to state test administration. Principals should refer to test manuals available at Accommodations for Testing | New York State Education Department (nysed.gov) for information on the procedures they must follow in authorizing such accommodations. These manuals also provide information on the provisions for a student to be medically excused from a state test, as well as opportunities for make ups.

The CDC Heads Up program has resources to assist teachers regarding accommodations for students with concussion, Helping Students Recover from a Concussion: Classroom Tips for Teachers. Examples of accommodations include but are not limited to eliminating homework, shortened classroom assignments, and lengthened time to complete assignments. See page 36 for more information on accommodating students with concussions in the classroom.

Teachers will need to be instructed to listen to the student's report of symptoms and watch for clues reflecting a return of symptoms. If a student complains of return of symptoms, they must cease the acti627 (ee (t)2 (i)6y)3.9 (5)-4 b0 Tc 0 Tw T*[(c o)6 (o)6 (3 -0.002 Tw 0.24 0 Td(to)Tj0 Tc 0c -

Table 2: Return- to-Learn Strategies [5]

Step	Mental activity	Activity at each step
1	Daily activities that do not result in more than a mild exacerbation* of symptoms related to the current concussion	Typical activities during the day (e.g., reading) while minimizing screen time. Start with 5– × P L Q D W D W L P H D Q G gradually
2	School activities	Homework, reading or other cognitive activities outside of the classroom.
3	Return to school part time	Gradual introduction of schoolwork. May need to start with a partial school day or with greater access to rest breaks during the day.
4	Return to school full time	Gradually progress in school activities until a full day can be tolerated((f (ho)-12.346no)-2.9 (i)3

athletic trainer for student athletes. School staff should monitor students daily following each progressive level of physical activity, for any return of signs and symptoms of concussion. A gradual progression should be followed based on private healthcare provider's or other specialist's orders and recommendations.

Staff members should report any observed or reported return of signs and symptoms to the school nurse, certified athletic trainer for student athletes, or administration in accordance with school policy.

Return to Physical Activities

A gradual return to physical activities typically is done by progressing a student through levels of physical activity that increase in duration and/or intensity. Gradual return to activity should occur with the introduction of new activity level every 24 hours. If any post -concussion symptoms return, the student should stop the activity and drop back to the previous level of activity. Current research suggests that some level of symptoms with activity is acceptable . Therefore, schools will need to follow provider orders on return to activities. School staff should monitor students daily following each progressive level of physical activity for any return of signs and symptoms of concussion. A gradual progression should be followed based on private healthcare provider's or other specialist's orders and recommendations.

If a school has concerns or questions about the private healthcare provider's orders, the district medical director or their designee should contact that provider to discuss and clarify. The district medical director may develop a return to physical activity protocol for students with concussions whose provider does not provide direction on limitations or needed accommodations. For nonpublic schools, if there are concerns or questions about the private healthcare provider's orders, the parent/guardian should be contacted by school administration and asked to obtain in writing the needed clarification or question response from the treating healthcare provider. There are two types of exertional physical activities that need to be adjusted for students recovering from a concussion:

1. Physical activities during the school day such as physical education (PE) class, exercise, and recess; and
2. Athletic activities which are defined in regulation as extra-class periods of PE meaning those sessions organized for instruction and practice in skills, attitudes, and knowledge through participation in individual, group, and team activities organized on an intramural, extramural, or interschool athletic basis to supplement regular physical education classinstruction.

Guidance for return to each type is described in the following sections.

Return to Physical Activities (PE class, Exercise, and Recess)

The first step in returning to physical activities in school is approval by the healthcare provider. The school may need to contact the healthcare provider to obtain more detailed instructions as to the level of activity the student may participate in. Students should not be excluded from recess but should be supervised to ensure they do not participate in exertional activities or activities that present risk of falls, collision, or impact.

Particularly when returning to PE class participation it is recommended that a gradual return to physical activities is implemented. At no time should a student suspected of or diagnosed with a

concussion be assigned cognitive activities (such as reading or writing) to substitute for PE class physical activities.

> There is more concern, appropriately, for re-injury in physical education than other classes. Students should be allowed to participate in individual, non-contact/collision physical activity when their symptoms at rest are below minimal as directed by a six on a 10-point Visual Analog Scale (VAS) and should cease activity if their symptoms during

British Journal of Sports Medicine 2023;57:695-

The Concussion Management Team

Concussion management requires a coordinated, collective effort among school personnel along with

Student

Students should be encouraged to communicate any symptoms promptly to school staff and/or parents/guardians, since a concussion is primarily diagnosed by reported and/or observed signs and symptoms. It is the information provided by the student about their signs and symptoms that guide the other members of the team in transitioning the student back to activities. The amount and type of feedback reported by the student will be dependent on age and other factors.

Students should:

- Be educated about the prevention of head injuries.
- Be familiar with signs and symptoms that they must report to the coach, certified athletic trainer, school nurse, parent/guardian, or other staff.
- Be made aware of the risk of concussion and be encouraged to tell their coach, parent/guardian, certified athletic trainer, school nurse or other staff members about injuries and symptoms they are experiencing.
-

Parent/Guardian

Parents/guardians play an integral role in assisting their child and are the primary advocate for their child. When their child is diagnosed with a concussion, it is important that the parent/guardian communicates with both the healthcare provider and the school. Understandably, this is a stressful time for the parent/guardian as they are concerned about their child's well-being.

Parents/Guardians should:

- Be familiar with the signs and symptoms of concussions. This may be accomplished by reading pamphlets, web-based resources, and/or attending meetings prior to their child's involvement in interscholastic athletics.
- Be familiar with the Concussion Management and Awareness Act's requirement that any student believed to have suffered a concussion must immediately be removed from Athletic activities (interscholastic sports).
- Be familiar with any concussion policies or protocols implemented by the school and understand these policies are in place to protect their child.
- Be made aware that concussion symptoms that are not addressed can prolong concussion recovery.
- Provide any forms and written orders from the healthcare provider to the school in a timely manner.
- Monitor their child's physical and mental health as they transition back to full activity after sustaining a concussion.
- Report concerns to their child's private healthcare provider and the school, as necessary.
- Communicate with the school to assist in transitioning their child back to school after sustaining a concussion.
- Communicate with school staff if their child is experiencing significant fatigue or other symptoms at the end of the school day.
- Follow the private healthcare provider orders at home for return to activities.

School Administrator/ Pupil Personnel Services Staff (PPS)

The school administrator and/or their designee, such as PPS staff (school social worker, school psychologist, school counselor, school nurse and school attendance teacher), should ensure

Director of School Health Services/Medical Director

The district director of school health services (a.k.a. medical director) is a physician or nurse practitioner that public school districts must employ pursuant to Education Law Article 19, §902. They oversee school health services and play a significant role in setting protocols and procedures related to identifying students who may have sustained a concussion, post-concussion management in school, and authorizing students to participate in interscholastic athletics.

The medical director should:

- Collaborate with school administration in developing concussion management policies and protocols.
- Assist school staff by acting as a liaison to the student's healthcare provider and contacting that provider as necessary to discuss or clarify orders and plan of care.
- Attend 504 and CSE meetings when requested by 504 or CSE director.
- Review all healthcare providers' written clearance for students to begin graduated physical and cognitive activity unless the medical director chooses to delegate this to the school nurse or certified athletic trainer. If this task is delegated, the medical director should provide concise written protocols for the school nurse or certified athletic trainer to follow when accepting a private healthcare provider's clearance. Such protocols should specify the type of symptoms, medical history, and concussion severity, etc. that the medical director will need to personally review. This protocol may include permitting the school nurse or certified athletic trainer to function as the medical director's delegate to inform appropriate school staff of the student's return to activity.
- Clear all students returning to extra-class Athletic activities (interscholastic sports) in accordance with Commissioner's regulations. This can be done at the discretion of the medical director either by reviewing a private healthcare provider's clearance, or personally assessing the student.
- Implement school policy on return to activities.
- Work with the Concussion Management Team to monitor the progress of individual students with protracted recovery, multiple concussions, and atypical recovery.
- Encourage school health personnel (school nurses, certified athletic trainers, and other licensed healthcare professionals) to collaborate and communicate with each other about any student who is suspected of having or is diagnosed with a concussion.
- Become educated in the use and interpretation of neurocognitive testing (e.g., IMPACT, Headminders, and ANAM), if the school utilizes such tests.
- Participate in professional development activities as needed to maintain knowledge base and keep practice current on concussion management.

Private Healthcare Providers/ Specialists

The private healthcare provider is vital to all the other Concussion Management

their use and provide the results to the private healthcare provider and/or district medical director to aid them in determining the student's status.

- ƒ Educate students and staff in concussion management and prevention.
- ƒ Work collaboratively with other school personnel to ensure that the concussed student does not engage in activities at school that may complicate the student's condition prior to having written clearance by a healthcare provider, and to ensure that the student's teachers are made aware, on a need-to-know basis, of any academic limitations and physical/athletic activity restrictions.

School nurses must complete the Department-approved concussion management course* for school nurses every two (2) years. The Department has approved the following course for school nurses:

- x HEADS UP to Healthcare Providers Online Training for School Health Professionals - CDC TRAIN - an affiliate of the TRAIN Learning Network powered by the Public Health Foundation

Please note- this course has pretest and post test questions and may take 1-2 hours to complete. Licensed healthcare professionals are encouraged to seek out further professional development on concussions.

*

Certified Athletic Trainer

A certified athletic trainer under the supervision of a qualified physician can assist the medical director and director of PE by identifying a student with a potential concussion. The certified athletic trainer can also evaluate the student diagnosed with a concussion in their progress in return to athletic activities (interscholastic sports) based on private healthcare provider orders and/or school protocol. They also play an integral role in ensuring the student athlete receives appropriate post- concussion care as directed by the student (s)4 (i)ic:e hcare provider ie provay an0 (p

- ƒ Work collaboratively with the school nurse and other school personnel to ensure that the concussed student does not engage in activities at school that may complicate the student's condition prior to having written clearance by a healthcare provider, and to ensure that the student's teachers are made aware, on a need to know basis of any academic limitations and physical/athletic activity restrictions.

Certified athletic trainers in secondary schools must complete the Department approved concussion course* for certified athletic trainers every two (2) years. The Department has approved two courses for athletic trainers to choose from:

- x HEADS UP to Healthcare Providers Online Training for School Health Professionals - CDC TRAIN - an affiliate of the TRAIN Learning Network powered by the Public Health Foundation; OR
- x HEADS UP to Athletic Trainers: Online Concussion Training - CDC TRAIN - an affiliate of the TRAIN Learning Network powered by the Public Health Foundation

Athletic trainers are encouraged to seek out further professional development on concussions.

*Note: These are not NYS specific training videos, therefore the scope of practice of certified athletic trainers and school nurses in NYS may differ from what is described in the training. Registered professional nurses, licensed practical nurses, and certified athletic trainers practicing in NYS must follow NYS laws regarding licensing and scope of practice.

Physical Education Teacher/ Coaches

Concussions often occur during athletic activities (interscholastic sports). Coaches are typically the only school staff at all interscholastic athletic practices and competitions. It is essential that coaches and physical education (PE) teachers are familiar with potential causes of concussions along with the signs and symptoms. Coaches and physical education teachers should always put the safety of the student first.

PE teachers and coaches should:

- Remove any student who has taken a significant blow to head or body or who presents with signs and symptoms of a head injury immediately from play because the Concussion Awareness Management Act requires immediate removal of any student believed to have sustained a concussion.
- s (nd s(9.26 0 .2 to(t o r) 7 1 1 (c) 3.9 (e’a) 10) 1 6 (g 2 0 1 Tf 0 Td E 0 Tw 5 M 1 2 8 w 0 Td

Teacher

Teachers can assist students in their recovery from a concussion by making accommodations that minimize aggravating symptoms so that the student has sufficient cognitive rest. Teachers should refer to school protocols and private healthcare provider orders in determining necessary academic accommodations. Section 504 plans may need to be considered for some students with severe symptoms requiring an extended time frame for accommodations (see page 15 for more information on 504 plans).

Teachers should:

- Review the school's concussion management policy.
- Attend professional development sessions regarding concussion management.
- Review the emergency care plan for the student with a concussion with the school nurse or medical director.
- Know signs and symptoms to observe for that warrant the student ceasing the activity and sending the student to the health office.
- Provide accommodations to the student in the classroom in alignment with the healthcare provider's orders and direction from administration.
- C (i)nn47 tl2ci0ndi Td[(fo(us)419 (udog2 (he)10 (aTJ0 Tc 0 Tw 22.35 0 T

Written: • May read slowly • May have trouble reading material in complex formats or with small print • May have trouble filling out forms	• Allow students extra time to read and complete forms